




Atlas Copco



**GTG40 Angle
Turbine Grinder**

Feel the power. Boost the performance.



Arguably the most powerful handheld grinder on the market, the GTG40 angle turbine grinder sets the standards in the industry. Thanks to its revolutionary one step turbine motor, the tool takes less time to do the same job. Delivering incredible power for its size and weight, the GTG40 range solves your rough grinding applications.



Integrated
Autobalancer

Ergonomic
light weight
design

Highest
material
removal rate
in its class



Highly efficient turbine motor

Overspeed shut-off device


Precise speed governor

Reduced risk of vibration related injuries

Increased accessibility

Adjustable wheel guard

MORE EFFECTIVE



The turbine motor is more efficient than a conventional grinder motor. Therefore it takes less time to do the same job. Also the total air consumption will be a lot less for a specific job.

Model	Max free speed (r/min)	Max output (hp)	Max wheel/ pad dia (in)	Spindle thread	Spindle length (in)	Weight (lb)	Height (in)	Height over spindle (in)	Air consumption at max output (cfm)	Air consumption at free speed (cfm)	Rec. hose size (in)	Air inlet thread NPT (in)	Auto balancer	Ordering No.
Grinder														
GTG40 S060-927	6000	6.1	9	5/8-11 UNC	0.9	9.5	5.9	4.8	126	42	5/8	1/2"	Yes	8423 0715 05
GTG40 S060-727	6000	6.1	7	5/8-11 UNC	0.9	9.5	5.9	4.8	126	42	5/8	1/2"	Yes	8423 0715 07
GTG40 F120-7D	12000	6.1	7			8.4	5.0	3.9	126	42	5/8	1/2"	Yes	8423 0715 30
Sander														
GTG40 S060-700	6000	6.1	7	5/8-11 UNC	0.9	7.9	5.5	4.8	126	42	5/8	1/2"	Yes	8423 0715 03
Cup wheel & wire brush														
GTG40 S060-611	6000	6.1	6	5/8-11 UNC	0.9	10.1	6.3	5.2	126	42	5/8	1/2"	Yes	8423 0715 00

Tool accessories	Ordering No.
Add on spot suction Ø 180-230 mm	3780 4032 12
Hand shield	4175 0165 90
Vibration damped handle	4150 1521 80
Adapter for positioning support handle 120/135°	4175 0164 90
Heavy duty backing pad for sanding Ø 180 mm (7")	4170 1192 90
Friction plate complete	4175 0186 90

Air line accessories	Ordering No.
MultiFlex	8202 1350 62
Productivity kit, MAXI-FRL-1-NPT, lubrication free 16,4 ft hose	8202 0850 32
Productivity kit, MAXI-FRL-1-NPT, lubricated 16,4 ft hose	8202 0850 33
FRL Stand	
FRL Stand	9090 3030 13
Hose kit 16,4 ft/ 5m	8202 1181 91




How to assemble a dust extraction kit



MultiFlex Swivel Connector: An ergonomic solution



Increase productivity with Atlas Copco's air preparation units – FRL range



Hand shield


Watch our grinders in action!



GTG 40 vs vertical vane grinder



How to prepare to run a grinder



Atlas Copco

Atlas Copco AB
 (publ) SE-105 23 Stockholm, Sweden
 Phone: +46 8 743 80 00
 Reg. no: 556014-2720
 atlascopco.com